Qty:

Date:

Thursday, 29/01/2009 3:20:00 PM

User:

Julie Dawson

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

**Job Number** 

: 45368B

**Estimate Number** 

: 10207

P.O. Number

Prsht Rev.

First Issue

Previous Run

This Issue

: 29/01/2009

: NC

: // : 45359B

Type : LARGE FAB ASSY **Part Number** 

**Drawing Name** 

: D2989043

**Drawing Number** 

: D2989 REVD

**Project Number** 

: N/A

**Drawing Revision** 

: D

Material **Due Date** 

: 05/02/2009

: BASKET LID ASSEMBLY

1 Um:

Each

Written By Checked & Approved By

Comment

05-11-03 JLM

Est Rev:J 08-08-29 revC as per dwg DD verified by:EC Est Rev:K 08-09-24 plug holes prior to powder coating DD

verified by:EC

Est Rev:L 08-12-02 revD as per dwg DD verified by:

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

1.0

2.0

D29893



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

Rib

batch

D29894

Rib



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

batch:

N 09/02/05

3.0

D29895

Comment: Qty.:

2.0000 Each(s)/Unit

Total:

2.0000 Each(s)

Rib

batch:

D298917

4.0

1.0000 Each(s)/Unit

Total:

Comment: Qty.: Rib

batch:

1.0000 Each(s)

Dart Aerospa	ce	Ltd
--------------	----	-----

W/O:	-		WO	RK ORDER CHANG	ES				
DATE	STEP	PRO	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	•	PAR #:	Fault Categ	ory:	NCR: Yes	No <b>DQ</b>	A:	Date: _	
	R	esolution:	Disposition	:	_ QA: N/C Clo	osed:		Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCR	)			
DATE	STEP	Description of NC		on B	Verifica		Approval	Approvai	
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		Section C	Chief Eng	QC Inspector
					·				
₹.		·							
							» · · · · · · · · · · · · · · · · · · ·		

Date: Thursday, 29/01/2009 3:20:00 PM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: BASKET LID ASSEMBLY Job Number: 45368B Part Number: D2989043 Job Number: Seq. #: **Description: Machine Or Operation:** 5.0 D31821 Hinge Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Hinge batch: D34423 6.0 Shim Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Shim batch 7.0 D3827041 Rib Assembly (Inboard) Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Rib Assembly (Inboard) D38325 8.0 Mesh (Lid) Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Mesh (Lid) batch: D38335 9.0 Mesh (Lid End) Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Mesh (Lid End) B 44017 batch:\_ D3838041 10.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Rib Assembly (Basket Lid, LH) 09/02/04 batch: 15 44020 D3838042 Rib Assembly (Basket Lid, RH) 11.0 Total: Comment: Qty.: 1.0000 Each(s)/Unit 1.0000 Each(s) Rib Assembly (Basket Lid, RH) batch: B 44021 .

## **Dart Aerospace Ltd**

W/O:			WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE				Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
	,											
Part No	:	PAR #:	Fault Categ	ory:	NCR: Yes	No <b>DQ</b>	A:	Date:				
	Resc	olution:	Disposition	:	QA: N/C CI	osed:		Date: _	<del> </del>			
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCF	R)		***	-			
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section Action Description	on B Sign & Date		cation ion C	Approval Chief Eng	Approval QC Inspector			
			Officer Eng	Chief Eng	Date							
• .												

	rsday, 29/01/2009 3:20:00 PM		ļ
User: , Julie	Dawson	Process Sheet	
· Customer:	CU-DAR001 Dart Helicopters Ser	vices Drawing Name: BASKET LID	ASSEMBLY
Job Number:	45368B	Part Number: D2989043	
Job Number:			
Seq. #:	Machine Or Operation:	Description :	, , , , , , , , , , , , , , , , , , ,
12.0	LARGE FAB 1	LARGE FABRICATION RESOURCE 1	
Comme	2- tack weld mesh on baske	46 jig, weld as per dwg D2989   t as per dwg D2989 using DT9446 jig   s use D2989-041, weld as per dwg D2989	el oglogios (le
13.0	QC9	VISUAL WELDING INSPECTION	
	ent: VISUAL WELDING INSPEC	CP1 : /1 0C	-09
14.0	QC6	DIMENSIONAL CHECK	
15.0	ent: DIMENSIONAL CHECK POWDER COATING	POWDER COATING	जीव्याच्या (६०
15.0	Powder Coating	POWDER COATING	
Comme	ent: POWDER COATING 1- Plug holes prior to powde	er coating	
	1ST COAT START TIME: OVEN TEMPERATURE: FINISH TIME: 2ND COAT: START TIME: OVEN TEMPERATURE: FINISH TIME:	necessary***********************************	09-09-11
16.0	ac3	INSPECT POWDER COAT/CHEMICAL CONV	PERSION PROPERTY OF THE PROPER
	mapect rowder Coat	F%	01/02/12

## **Dart Aerospace Ltd**

W/O:			W	ORK ORDER CHANG	ES				
DATE STEP		PRO	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	:	PAR #:	Fault Cate	gory:	_ <b>NCR</b> : Yes	No <b>DQ</b>	A:	_ Date: _	
Resolution:			Dispositio	QA: N/C Closed: Date:					
NCR:			WORK ORD	ER NON-CONFORMA	ANCE (NC	R)		100	
DATE	STEP	Description of NC	Corrective Action Section B			Verification		Approval	Approval
	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	& Sect	tion C	Chief Eng	QC Inspector
b/									
						:			
•									

Date:

Thursday, 29/01/2009 3:20:00 PM

User:

Julie Dawson

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BASKET LID ASSEMBLY

Job Number: 45368B

Part Number: D2989043

Job Number:



Seq. #:

Job Completion

**Machine Or Operation:** 

Description:

17.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE



U 9,62,13

## **Dart Aerospace Ltd**

W/O:	-		WC	RK ORDER CHANG	iES				
DATE	STEP	PRO	PROCEDURE CHANGE					Approval Chief Eng / Prod Mgr	Approval QC Inspector
							i		
Part No		PAR #:	Fault Cate	gory:	_ NCR: Yes	No DQ	<b>A</b> :	Date: _	
		solution:							
NCR:			WORK ORDI	ER NON-CONFORM	ANCE (NC	R)			
DATE	STED	Description of NC	Corrective Action Section B			Verific	erification A	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	&   Section		Chief Eng	QC Inspector
					į				
				•					

D2989-043 BASKET LID ASSEMBLY (MESH SHOWN LOCALLY FOR CLARITY) D2989-041 BASKET LID ASSEMBLY (MESH SHOWN LOCALLY FOR CLARITY) NOTES:
1) MATERIAL: N/A
2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4
SPRAY PAINT INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: D2989-041 = 26.50 lbs; D2989-043 = 15.50 lbs
8) WELD PER DART QSI 004

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
1	Х		D2989-041	BASKET LID ASSEMBLY
2		Х	D2989-043	BASKET LID ASSEMBLY
3	1	<del></del>	D2506	LABEL PLATE
4	1		D2512-7	RIB
	<u> </u>	<del> </del>		
5	2	<u> </u>	D2581	MOUNTING BRACKET
6		1	D2989-3	RIB
7		1	D2989-4	RIB
8		2	D2989-5	RIB
9	2		D2989-13	RIB
10	2	1	D2989-17	RIB
11	2		D2989-19	RIB
12		2	D3182-1	HINGE
13		2	D3442-3	SHIM
14		1	D3827-041	RIB ASSY (INBOARD)
15	1		D3832-3	MESH, BASKET LID
16		1	D3832-5	MESH, BASKET LID
17	2		D3833-3	MESH, LID END
18		2	D3833-5	MESH, LID END
19	1		D3836-041	RIB ASSY (BASKET LID, LH)
20	1		D3836-042	RIB ASSY (BASKET LID, RH)
21		1	D3838-041	RIB ASSY (BASKET LID, LH)
22		1	D3838-042	RIB ASSY (BASKET LID, RH)
23	1		D3852-041	RIB ASSEMBLY
24	1		D3852-042	RIB ASSEMBLY

SHOP COPY RETURN TO ELEASE ENGINE RING ENGINE RING COPY SPECIFIC SMC SIGNIC OF

D	REVISE COLUM D2989-5 REPLAC D3852-0 D2989-2 DWG), I (NOW C DWG). REASOI	N TO PA 9/-15; D3 0ES D29 041 REP 2; REMO 02989-9/ 0N D383	мв	08.09.24			
С	FRAME UPDATE CURRE	ED: DRA	AJS	08.06.20			
В	ADD SHIM UNDER HINGES, UPDATE LID DIMENSIONS					05.06.07	1
Α	NEW ISSUE					00.10.27	1
REV.	DESCRIPTION				BY	DATE	1
DESIGN D			S	DART AEROSPA	CE L	TD	1
DRAWN			۸	HAWKESBURY, ONTARIO			'

REV.	i	DESCRIPTION	BY	DATE	
DESIGN	DS_	DART AEROSPA	CE L	TD	
DRAWN	<b>A</b>	HAWKESBURY, ONTARIO, CANADA			
CHECKED	RSS	DRAWING NO.		REV. D	
MFG. APPR.		D2989		SHEET 1 OF 5	
APPROVED	N	TITLE		SCALE	
DE APPR.	-#t	∄BASKET LID ASSEMBI	LY	NTS	
DATE 08.0	09.24	COPYRIGHT © 2000 BY DART AEROSPACE LTD THS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE LISED FOR ANY PURPOSE OR COPIED ON COMMUNICATED TO ANY OTHER PERSON WITHOUT			







